Solid State Ionics 59 (1993) 327–331
North-Holland

SOLID
STATE
IONICS

Author Index to Volume 59

Ahmad, A., see S.F. Chehab 59 (1993) 125
Anderson, M.P., see S. Ling 59 (1993) 33
Angelov, S., see R. Stoyanova 59 (1993) 17
Armand, P., see A. Ibanez 59 (1993) 157
Ashrit, P.V., K. Benaissa, G. Bader, F.E. Girouard and V.-V. Truong, Lithiation studies on some transition metal oxides for an all-solid thin film electrochromic system 59 (1993) 47

Bader, G., see P.V. Ashrit 59 (1993) 47
Bale, C.W., see J. Kirchnerova 59 (1993) 109
Becht, J.G.M., see I. Kosacki 59 (1993) 287
Benaissa, K., see P.V. Ashrit 59 (1993) 47
Blesa, M.A., see C. Domingo 59 (1993) 187
Burggraaf, A.J., see U. Vohrer 59 (1993) 141
Butz, T., see P. Ganal 59 (1993) 313

Canaday, J.D., see S.F. Chehab 59 (1993) 125
Casabonne Masonnave, J.M., Immobilization of borates and phosphates anions with saturated lime solutions 59 (1993) 133
Chehab, S.F., J.D. Canaday, A.K. Kuriakose, A. Ahmad, T.A. Wheat and P.G. Komorowski, Impedance measurements of platinum electrodes on a solid protonic conductor 59 (1993) 125
Chen, D., see X. Peng 59 (1993) 197
Chen, L., see R. Xue 59 (1993) 1
Chiang, C.C.K. and Y.T. Huang, Mechanism for thallium-based superconductors to form multi-CuO_2 layers 59 (1993) 183
Clemens, D., see R.A. Versaci 59 (1993) 235

Dexpert, H., see A. Ibanez 59 (1993) 157
Dickens, P.G., see S. Patat 59 (1993) 151
Dieckmann, R., see F.-H. Lu 59 (1993) 71
Domingo, C., R. Rodríguez-Clemente and M.A. Blesa, Nature and reactivity of intermediates in the auto-oxidation of iron (II) in aqueous acid media 59 (1993) 187
Dueber, R.E., see S. Patat 59 (1993) 151

Feltz, A., see J. Töpfer 59 (1993) 249
Fierro, J.L.G., see F. Medina 59 (1993) 205
Fleischer, N.A., I. Lyubomirsky, Y. Scolnik and J. Manassen, Electrochemical reduction of the high T_c superconductor $YBa_2Cu_3O_{y0}$ by lithium via new compound formation 59 (1993) 59

Ganal, P., W. Olberding, T. Butz and G. Ouvrard, Soft chemistry induced host metal coordination change from octahedral to trigonal prismatic in 1T–TaS_2 59 (1993) 313
Girouard, F.E., see P.V. Ashrit 59 (1993) 47

0167-2738/93/$ 06.00 © 1993 Elsevier Science Publishers B.V. All rights reserved.

Göpel, W., see U. Vohrer 59 (1993) 141
Gottschall, R. and R. Schöllhorn, Barium nickel oxide with $BaCuO_2$ type structure 59 (1993) 93
Greenblatt, M., see B. Wang 59 (1993) 243

Hagenmuller, P., see M. Wahbi 59 (1993) 83
Henderson, W., G.D. Pease and N.M. Sammes, A polyether aminomethylenephosphonate lithium ion conductor 59 (1993) 301
Huang, H., see R. Xue 59 (1993) 1
Huang, Y.T., see C.C.K. Chiang 59 (1993) 183
Hussey, R., see R.A. Versaci 59 (1993) 235

Ibanez, A., P. Armand, E. Philippot and H. Dexpert, Structural study of GeS_2–Ag_2S glassy system by silver K-edge EXAFS experiments made at room and low temperature 59 (1993) 157
Irvine, J.T.S., see M. Lacerda 59 (1993) 257
Ivanov, E., K. Sumiyama, H. Yamauchi and K. Suzuki, Non-equilibrium fcc phase and valence fluctuation in immiscible Yb–Ce alloy produced by mechanical alloying 59 (1993) 175

Johansson, J.X.M.Z., K. Sköld and J.-E. Jørgensen, Tracer diffusion study of Br^- mobility in α-CuBr 59 (1993) 297
Jørgensen, J.-E., see J.X.M.Z. Johansson 59 (1993) 297

Kirchnerova, J. and C.W. Bale, Solid state Na-β-alumina potentiometric sensor for measuring gaseous arsenic oxides 59 (1993) 109
Kishida, K., see M. Tatsumisago 59 (1993) 171
Kishimoto, A., see I. Tsuyumoto 59 (1993) 211
Kohzaki, T., see Y. Suzuki 59 (1993) 307
Komorowski, P.G., see S.F. Chehab 59 (1993) 125
Kosacki, I., J.G.M. Becht, R. van Landschoot and J. Schoonman, Electrical properties of $SrCe_{0.95}Yb_{0.05}O_3$ in hydrogen containing atmospheres 59 (1993) 287
Kudo, T., see I. Tsuyumoto 59 (1993) 211
Kuriakose, A.K., see S.F. Chehab 59 (1993) 125
Kuwabara, K. and M. Yamada, Early cycling processes in a variable transparency ECD utilizing antimony hydrogen phosphate thin film electrolyte 59 (1993) 25

Lacerda, M., A.R. West and J.T.S. Irvine, Electrical properties of $Ca_{12}Al_{14}O_{33}$: Effect of hydrogen reduction 59 (1993) 257
Lindgren, J., see Å. Wendsjö 59 (1993) 271
Ling, S., M.P. Anderson and T.A. Ramanarayanan, Optimization of ionic transport through mixed conducting oxide ceramics 59 (1993) 33
Lu, F.-H. and R. Dieckmann, Point defects and cation tracer diffusion in $(Co, Fe, Mn)_{3-\delta}O_4$ spinels: II. Mixed spinels $(Co_xFe_zMn_{2z})_{3-\delta}O_4$ 59 (1993) 71
Lyubomirsky, I., see N.A. Fleischer 59 (1993) 59

Manassen, J., see N.A. Fleischer 59 (1993) 59
Medina, F., P. Salagre, J.E. Sueiras and J.L.G. Fierro, Synthesis and characterization of several potassium-doped iron-nickel samples active for the 1,6-hexanedinitrile hydrogenation 59 (1993) 205

Mellander, B.E., see Å. Wendsjö 59 (1993) 271
Minami, T., see M. Tatsumisago 59 (1993) 171

Näfe, H., Electronic conductivity of a solid oxide electrolyte in the low temperature range 59 (1993) 5

Ohno, H. and H. Yamazaki, Preparation and characteristics of all solid-state electrochromic display with cation-conductive polymer electrolytes 59 (1993) 217
Ohtaki, H., see S. Patnaik 59 (1993) 229
Olberding, W., see P. Ganal 59 (1993) 313
Ouvrard, G., see P. Ganal 59 (1993) 313

Patat, S., R.E. Dueber and P.G. Dickens, Thermochemical and electrochemical study of magnesium insertion into α-UO_{3-x} 59 (1993) 151
Patnaik, S., A. Rajalakshmi, M. Seshasayee and H. Ohtaki, An X-ray RDF study of the glass $30AgI–45Ag_2O–25V_2O_5$ 59 (1993) 229
Pease, G.D., see W. Henderson 59 (1993) 301
Peng, X., S. Wu and D. Chen, Ionic conductivity and dynamic mechanical relaxation of a two-component epoxy network-$LiClO_4$ electrolyte system 59 (1993) 197
Philippot, E., see A. Ibanez 59 (1993) 157

Quadakkers, W.J., see R.A. Versaci 59 (1993) 235

Rajalakshmi, A., see S. Patnaik 59 (1993) 229
Ramanarayanan, T.A., see S. Ling 59 (1993) 33
Rao, N., C.M. van den Bleek and J. Schoonman, Taguchi-type NO_x gas sensors based on semiconducting mixed oxides 59 (1993) 263
Reau, J.M., see M. Wahbi 59 (1993) 83
Riess, I. and R. Safadi, Failure of Hebb–Wagner polarization measurements due to decomposition of the sample 59 (1993) 99
Riess, I., R. Safadi and H.L. Tuller, Electrical conductivity measurements on cuprous bromide, CuBr, in the presence of oxygen 59 (1993) 279
Rodríguez-Clemente, R., see C. Domingo 59 (1993) 187

Safadi, R., see I. Riess 59 (1993) 99
Safadi, R., see I. Riess 59 (1993) 279
Salagre, P., see F. Medina 59 (1993) 205
Sammes, N.M., see W. Henderson 59 (1993) 301
Schöllhorn, R., see R. Gottschall 59 (1993) 93
Schoonman, J., see N. Rao 59 (1993) 263
Schoonman, J., see I. Kosacki 59 (1993) 287
Scolnik, Y., see N.A. Fleischer 59 (1993) 59
Senegas, J., see M. Wahbi 59 (1993) 83
Seshasayee, M., see S. Patnaik 59 (1993) 229
Sha, Q., see S. Zhang 59 (1993) 179
Sitte, W., Electrochemical cell for composition dependent measurements of chemical diffusion coefficients and ionic conductivities on mixed conductors and application to silver telluride at 160°C 59 (1993) 117

Sköld, K., see J.X.M.Z. Johansson 59 (1993) 297
Stoyanova, R., E. Zhecheva and S. Angelov, "Sandwich"-type clusters revealed by EPR of Ni^{3+} in a partially ordered $Li_xNi_{1-x}O$ ($x \simeq 0.3$) 59 (1993) 17
Sueiras, J.E., see F. Medina 59 (1993) 205
Sumiyama, K., see E. Ivanov 59 (1993) 175
Suzuki, K., see E. Ivanov 59 (1993) 175
Suzuki, Y. and T. Kohzaki, Electrical conduction behavior and phase transition of Y_2O_3-stabilized ZrO_2 59 (1993) 307

Tatsumisago, M., K. Kishida and T. Minami, Preparation and proton-conduction of silica gels containing heteropoly acids 59 (1993) 171
Töpfer, J. and A. Feltz, Investigations on electronically conducting oxide systems XXIV[1]: Preparation and electrical properties of the spinel series $Cu_xNiMn_{2-x}O_4$ 59 (1993) 249
Torijano, E., see R.A. Vargas 59 (1993) 321
Truong, V.-V., see P.V. Ashrit 59 (1993) 47
Tsuyumoto, I., A. Kishimoto and T. Kudo, Hexagonal tungsten bronze synthesized from potassium peroxo-polytungstate and its electrical properties 59 (1993) 211
Tuller, H.L., see I. Riess 59 (1993) 279

Van den Bleek, C.M., see N. Rao 59 (1993) 263
Van der Vaart, D.R., Measurement of diffusion coefficients of alkali metal ions in polycrystalline β''-Al_2O_3 59 (1993) 223
Van Hassel, B.A., see U. Vohrer 59 (1993) 141
Van Landschoot, R., see I. Kosacki 59 (1993) 287
Vargas, R.A. and E. Torijano, Phase behaviour of RbH_2PO_4 and CsH_2PO_4 in the fast-ion regime 59 (1993) 321
Versaci, R.A., D. Clemens, W.J. Quadakkers and R. Hussey, Distribution and transport of yttrium in alumina scales on iron-base ODS alloys 59 (1993) 235
Vohrer, U., H.-D. Wiemhöfer, W. Göpel, B.A. van Hassel and A.J. Burggraaf, Electronic properties of ion-implanted yttria-stabilized zirconia 59 (1993) 141

Wahbi, M., J.M. Reau, J. Senegas and P. Hagenmuller, Optimization of fluoride ion conduction in new fluorite-type anion excess solid solutions involving two substitutional cations 59 (1993) 83
Wang, B. and M. Greenblatt, Ionic conductivities of $Na_4MgP_2O_8$ and partially substituted $Na_{4+x}MgP_{2-x}Si_xO_8$ solid solutions 59 (1993) 243
Wang, K., see R. Xue 59 (1993) 1
Wendsjö, Å., J. Lindgren and B.E. Mellander, The phase diagram for the system $Pb(CF_3SO_3)_2$–PEO 59 (1993) 271
West, A.R., see M. Lacerda 59 (1993) 257
Wheat, T.A., see S.F. Chehab 59 (1993) 125
Wiemhöfer, H.-D., see U. Vohrer 59 (1993) 141
Wu, S., see X. Peng 59 (1993) 197

Xue, R., H. Huang, L. Chen and K. Wang, Characteristics of electric double layer capacitors using a PAN-based electrolyte 59 (1993) 1

Yamada, M., see K. Kuwabara 59 (1993) 25
Yamauchi, H., see E. Ivanov 59 (1993) 175
Yamazaki, H., see H. Ohno 59 (1993) 217

Zhang, S. and Q. Sha, Electrical properties of the viologen-grafted poly(epichlorohydrin-co-oxyethylene) 59 (1993) 179
Zhecheva, E., see R. Stoyanova 59 (1993) 17
Zhen, X., see M. Zheng 59 (1993) 167
Zheng, M. and X. Zhen, $SrCeO_3$-based solid electrolyte probe sensing hydrogen content in molten aluminum 59 (1993) 167

Solid State Ionics 59 (1993) 333–334
North-Holland

SOLID
STATE
IONICS

Subject Index to Volume 59

6-aminohexanenitrile, 205

Adiponitrile, 205
Alloys, 175
Antimony hydrogen phosphate, 25
Arsenic oxide, 109
Auto-oxidation
  kinetics, 187

β-alumina, 109
Barium copper oxide, 93
Barium nickel oxide, 93
Bromine diffusion, 297
Bronze, 211

Calcium borates, 133
Carbonate in oxides, 93
Cation distribution, 17
Cation tracer diffusion, 71
Cement aqueous phase, 133
Cerium oxide, 287
Characterization, 205
Chemical diffusion coefficient, 117
Conductivity, 211
Conductivity optimization, 33
Copper bromide, 99
Copper bromines, 297
Cuprous bromide, 279

Decomposition, 99
Double-layer capacitor, 1
Dynamic mechanical relaxation, 197

Electrical conductivity, 279
Electroactive polymer, 179
Electrochemical cell, 117, 217
Electrochemistry, 151
Electrochromic cell, 171
Electrochromism, 25, 47
Electrode reaction, 279
Electrodes, 125
Electronic conductivity, 5
Electronic structure, 141
EXAFS, 157

Fluorite, 83

Green rust, 187

Heat capacity, 321
Hebb–Wagner polarization method, 99
Hydrogenation, 205
Hydrogen conductors, 125
Hydrogen probe, 167
Hydrogen reduction, 257

Impedance measurements, 125
Impedance spectroscopy, 287
Insertion, 151
Intercalation, 313
Ion diffusion, 223
Ionic conductivity, 157
  dichlorine, 179
  fluorine, 83
  hydrogen, 125
  lithium, 301
  oxide, 257
  oxygen, 307
  partial, 117
  proton, 167,171
  sodium, 243
Ion implantation, 141
Ion transport, 223
Iron oxides, 187

Kinetics, 223

Layered sulfide, 313
Lead fluoride, 83
Lead triflate, 271
Lithium, 301
Lithium borate, 47
Lithium copper oxide, 59
Lithium reduction of 123 oxide, 59
Low temperature range, 5

Magnesium, 151
Manganese oxide, 249
Mechanical synthesis, 175
Mechanism, 183
Metropoly acids, 171
Mixed conductor, 33,99,117
Mixed oxide, 263

Nickel, 205
Non-equilibrium phase, 175

Nonstoichiometry, 71
Nuclear quadrupole study, 313

ODS alloys, 235
Oxidation behaviour, 235
Oxide superconductor, 59
Oxygen tracer, 235

Phase transition, 321
Phosphonate, 301
PH titration, 187
Point defects, 71
Polyacrylonitrile (PAN), 1
Polyetheramine, 301
Poly(ethylene glycol), 197
Poly(ethylene oxide) (PEO), 271
Polymer, 179
Polymer electrolyte, 1,197,217
Proton conduction, 25
Prussian blue, 217

Redox, 211

Sandwich-type clusters, 17
SEM, 183
Sensor, 109,211,263
Silica gel, 171
Silver chalcogenide glasses, 157
Silver iodide glasses, 229
Silver telluride, 117
SIMS, 235
Sodium magnesium phosphate, 243
Solid state ECD, 25
Solid state electrolyte, 5
Solubility, 133
Spinels, 71,249
Structural proton, 321
Structure, 157
Superconductor, 183
Superionic conductor, 229
Surface analysis
  EELS, 141
  ISS, 141
  RBS, 141,235
  UPS, 141
  XPS, 141,249

Tantalum disulfide, 313
TEM, 235
Thallium, 183
Thermochemistry, 151
Thermodynamics, 109
Thin film, 25
Tracer diffusion, 297
Tungsten, 211
Tungsten oxide, 217
Tungsten trioxide, 47

Uranium oxide, 151

Vanadium pentoxide, 263

X-ray absorption spectroscopy, 157
X-ray diffraction, 243
X-ray RDF, 229

Yttria, 33
Yttria-doped thoria, 5
Yttrium oxide, 307

Zirconia, 33,141
Zirconium fluoride, 83
Zirconium oxide, 307